

LEDsPlay Fashion

Start a New Era of **Smart Transparent LED Display**




--Invisible is Possible

LEDit
INTERNATIONAL



LEDit[®]
INTERNATIONAL



Application Market



Specialty Store



Luxury Store



Shopping Mall



Hotel



Auto 4S Store



Exhibition




Airport



Ultra Transparency



Smart



- ▶ APP
- ▶ Smart control by mobile
- ▶ Interactive Experience
- ▶ Built-in WIFI
- ▶ Diverse output interfaces
- ▶ USB multimedia playback | videos, pictures, texts

Simple



High Brightness



Energy Efficient



Super Shiny




- Pixel Pitch 3.9mm
- Attention capturing
- High Refresh Rate 3840Hz
- High Contrast 3000:1
- Wide viewing angle 160°

LEDsPlay Fashion XL



- Modular, DIY Design; Any screen size can be combined.
- Ultra transparency, 85% transparency.
- Smart, Control by mobile, LED Display+ Cloud +APP, Built-in WIFI.
- Simple, Non-steel structure, Plug in the power and start using.
- 5500 cd/ m², The clarity is not affected by strong sunlight at all.
- Super Shiny, Attention capturing, Pixel Pitch 3.9mm, High Contrast Refresh Rate 3840Hz, Contrast Wide viewing angle 160°

Size





Specifications

LEDsPlay Fashion XL			
Pixel Pitch(mm)	3.9 x 7.8	7.8 x 7.8	10.4 x 10.4
Pixel Density(Dot/ m ²)	32768	16384	9216
Module Size(mm)	500 X 375	500 X 375	500 X 375
Module Resolution	128 X 48	64 X 48	48 X 36
LED Type	SMD 3in1	SMD 3in1	SMD 3in1
Brightness(cd/ m ²)	5500	5500	5500
Transparency	85%	85%	85%
Viewing Angel	160°	160°	160°
Color Depth	14bits	14bits	14bits
Scan	1/4	1/4	1/4
Refresh Rate(Hz)	3840	3840	3840
Frame Rate(Hz)	60	60	60
Avg. Power(W/ m ²)	280	200	100
Max. Power(W/ m ²)	1000	1000	1000
Maintenance	Rear service	Rear service	Rear service
Ingress Protection	IP42	IP42	IP42
Working Temperature	-10~40℃	-10~40℃	-10~40℃
Weight(kg/ m ²)	12	12	12

Installation

Hanging



Standing


Case



LEDsPlay Fashion MP



Size



Specifications

LEDsPlay Fashion MP	
Pixel Pitch(mm)	3.9 x 7.8
Pixel Density(Dot)	49152
Module Size(mm)	1000 X 1500
Module Resolution	256 X 192
LED Type	SMD 3in1
Brightness(cd/ m²)	5500
Transparency	85%
Viewing Angel	160°
Color Depth	14bits
Scan	1/4
Refresh Rate(Hz)	3840
Frame Rate(Hz)	60
Avg. Power(W/ m²)	200
Max. Power(W/ m²)	700
Maintenance	Rear service
Ingress Protection	IP42
Working Temperature	-10~40℃
Weight(kg)	65



- Standardized Design, just like big transparent LED phone.
- Ultra transparency, 85% transparency.
- Smart, Control by mobile, LED Display+ Cloud +APP, Built-in WIFI.
- Simple, Non-steel structure, Plug in the power and start using.
- 5500 cd/ m², The clarity is not affected by strong sunlight at all.
- Super Shiny, Attention capturing, Pixel Pitch 3.9mm, High Contrast Refresh Rate 3840Hz, Contrast Wide viewing angle160°

Installation

Standing



Hanging

Case




LEDsPlay Fashion LP



- Standardized Design, just like big transparent LED photo frame.
- Ultra transparency, 85% transparency.
- Smart, Control by mobile, LED Display+ Cloud +APP, Built-in WIFI.
- Simple, Non-steel structure, Plug in the power and start using.
- 5500 cd/ m², The clarity is not affected by strong sunlight at all.
- Super Shiny, Attention capturing, Pixel Pitch 3.9mm, High Contrast Refresh Rate 3840Hz, Contrast Wide viewing angle160°

Size




Specifications

LEDsPlay Fashion LP	
Pixel Pitch(mm)	3.9 x 7.8
Pixel Density(Dot)	73728
Module Size(mm)	2000 X 1125
Module Resolution	512 X 144
LED Type	SMD 3in1
Brightness(cd/ m ²)	5500
Transparency	85%
Viewing Angel	160°
Color Depth	14bits
Scan	1/4
Refresh Rate(Hz)	3840
Frame Rate(Hz)	60
Avg. Power(W/ m ²)	200
Max. Power(W/ m ²)	700
Maintenance	Rear service
Ingress Protection	IP42
Working Temperature	-10~40℃
Weight(kg)	35

Installation

Hanging



Case



I

High-end Brand

Specialty Store
Boutique
Chain Store
Luxury Store



II

High-end Brand

Jewelry Store
Auto Store
Watch Store
Clothing store



Case



LEDsPlay Fashion XL



Case



LEDsPlay Fashion XL



LEDsPlay Fashion MP



LEDsPlay Fashion LP

